ELSEVIER

Forensic Science International 138 (2003) VI–XX

Forensic Science International

www.elsevier.com/locate/forsciint

Volume contents

(2003)

No. 131

Regular articles

Interpretations of the TDxFLx® calibration data of the abused drugs
Y.-S. Sihn and H.-S. Chung (South Korea) 1–7

Mast cell tryptase and hemolysis after trauma
E. Edston and M. van Hage-Hamsten (Sweden) 8–13

Subdural haemorrhage sustained in a baby-rocker? A biomechanical approach to causation
M.D. Jones, D.S. James, C.Z. Cory, S. Leadbeatter and L.D.M. Nokes (UK) 14–21

The accuracy of three methods of age estimation using radiographic measurements of developing teeth
H.M. Liversidge, F. Lyons and M.P. Hector (UK) 22–29

Breath alcohol measurement variability associated with different instrumentation and protocols
R.G. Gullberg (USA) 30–35

Fatalities due to methyl alcohol intoxication in Turkey: an 8-year study
N. Yayci, H. Ağritmiş, A. Turla and S. Koç (Turkey) 36–41

Testing the utility of a geographical profiling approach in three rape series of a single offender: a case study
P. Santtila, A. Zappalà, M. Laukkanen and M. Picozzi (Finland, Italy) 42–52

A highly polymorphic STR locus in *Cannabis sativa*
H.-M. Hsieh, R.-J. Hou, L.-C. Tsai, C.-S. Wei, S.-W. Liu, L.-H. Huang, Y.-C. Kuo, A. Linacre and J.C.-I. Lee (Taiwan, UK) 53–58

"Ancient" protocols for the crime scene? Similarities and differences between forensic genetics and ancient DNA analysis
C. Capelli, F. Tschentscher and V.L. Pascali (Italy, UK, Germany) 59–64

Short tandem repeat (STR) DNA markers are hypervariable and informative in *Cannabis sativa*: implications for forensic investigations
S. Gilmore, R. Peakall and J. Robertson (Australia) 65–74

Application of species-specific polymerase chain reaction in the forensic identification of tiger species
Q.-H. Wan and S.-G. Fang (PR China) 75–78

Diary of future events 79–82

Guide for authors 83–84

Regular articles

Allele sharing in first-degree and unrelated pairs of individuals in the Ge.F.I. AmpFlSTR® Profiler Plus™ database
S. Presciuttini, F. Ciampini, M. Alù, N. Cerri, M. Dobosz, R. Domenici, G. Peloso, S. Pelotti, A. Piccinini, E. Ponzano, U. Ricci, A. Tagliabracci, J.E. Baley-Wilson, F. De Stefano and V. Pascali (Italy, USA) 85–89

Effect of hair care and hair cosmetics on the concentrations of fatty acid ethyl esters in hair as markers of chronically elevated alcohol consumption
S. Hartwig, V. Auwärter and F. Pragst (Germany) 90–97

doi:10.1016/S0379-0738(03)00474-2

Determination of drugs of abuse in hair: evaluation of external heroin contamination and risk of false positives
G. Romano, N. Barbera, G. Spadaro and V. Valenti (Italy) 98–102
Suicide by injection of a veterinarian barbiturate euthanasia agent: report of a case and toxicological analysis
N. Romain, C. Giroud, K. Michaud and P. Mangin (Switzerland) 103–107
Tissue distribution of nitrazepam and 7-aminonitrazepam in a case of nitrazepam intoxication
F. Moriya and Y. Hashimoto (Japan) 108–112
Cause-of-death query in validation of death certification by expert panel; effects on mortality statistics in Finland, 1995
R.A. Lahti and A. Penttilä (Finland) 113–124
Analysis of 418 cases of sexual assault
C. Grossin, I. Sibille, G. Lorin de la Grandmaison, A. Banasr, F. Brion and M. Durigon (France) 125–130
Frequency of bone/cartilage lesions in stab and incised wounds fatalities
A. Banasr, G.L. de la Grandmaison and M. Durigon (France) 131–133
Mitochondrial DNA cytochrome oxidase I gene: potential for distinction between immature stages of some forensically important fly species (Diptera) in western Australia
M.L. Harvey, I.R. Dadour and S. Gaudieri (Australia) 134–139
Post-mortem changes in calmodulin binding proteins in muscle and lung
S. Kang, N. Kassam, M.L. Gauthier and D.H. O'Day (Canada) 140–147
Performance of immunoassays in screening for opiates, cannabinoids and amphetamines in post-mortem blood
Y. Hino, I. Ojanperä, I. Rasanen and E. Vuori (Finland) 148–155
The time-dependent expression of fibronectin, MRP8, MRP14 and defensin in surgically treated human skin wounds
A. Fieguth, H. Feldbrügge, T. Gerich, W.J. Kleemann and H.D. Tröger (Germany) 156–161
Narcotics at street level in Denmark. A prospective investigation from 1995 to 2000
K.W. Simonsen, E. Kaa, E. Nielsen and D. Rollmann (Denmark) 162–170
Evaluation of links in heroin seizures
L. Dujourdy, G. Barbati, F. Taroni, O. Guéniat, P. Esseiva, F. Anglada and P. Margot (Switzerland) 171–183
A comparison of adjustment methods to test the robustness of an STR DNA database comprised of 24 European populations
P. Gill, L. Foreman, J.S. Buckleton, C.M. Triggs and H. Allen (UK, New Zealand) 184–196
Complex suicides by self-incineration
M. Bohnert and M.A. Rothschild (Germany) 197–201
Preliminary study of hair form of Japanese head hairs using image analysis
H. Sato (Japan) 202–208

Announcement of population data
Population data of nine Y-chromosomal STR loci in northern Poland
R. Pawłowski and A. Dettlaff-Kąkol (Poland) 209–213
STRs data for the loci D3S1385, vWA, FGA, D8S1179, D21S11, D18S51, D5S818, D13S317 and D7S820 from Córdoba (Argentina)
M.C. Miozzo, C.M. Pacharoni, S.A. Mutal, M.K. Maxzud, A.E. Casanova and N.M. Modesti (Argentina) . . . 214–217
Population genetic study of eight short tandem repeat loci CSF1PO, TPOX, TH01, F13A01, FESFPS, vWA, F13B and LPL in the Western Romanian population
A. Anghel, C. Marian, M. Pitulescu, A. Daba, I.O. Sirbu, V. Rusu and B. Budowle (Romania, USA) 218–219
Population data of Galicia (NW Spain) on the new Y-STRs DYS437, DYS438, DYS439, GATA A10, GATA A7.1, GATA A7.2, GATA C4 and GATA H4
B. Quintans, S. Beleza, M. Brion, P. Sanchez-Diz, M. Lareu and A. Carracedo (Spain, Portugal) 220–224

Letter to the Editor 225–226

Diary of future events 227–230
Volume contents 231–232
Author index 233–234
Subject index 235–238

No. 132

Regular articles

Comparison of Turkish Injury Scale (TIS) with the Abbreviated Injury Scale (AIS)
Y. Günay, M. Fatih Yavuz and B. Eşiyok (Turkey) 1–4
A case of aortic dissection caused by blunt chest trauma
S. Mimasaka, Y. Yajima, M. Hashiyada, M. Nata, M. Oba and M. Funayama (Japan, UK) 5–8
Effect of post-mortem changes on peripheral and central whole blood and tissue clozapine and norclozapine concentrations in the domestic pig (*Sus scrofa*)
R.J. Flanagan, A. Amin and W. Seinen (UK, The Netherlands) 9–17
Comparison of ethanol concentrations in venous blood and end-expired breath during a controlled drinking study
A.W. Jones and L. Andersson (Sweden) 18–25
Classification of premium and regular gasoline by gas chromatography/mass spectrometry, principal component analysis and artificial neural networks
P. Doble, M. Sandercock, E. Du Pasquier, P. Petocz, C. Roux and M. Dawson (Australia) 26–39
Estimation of stature from body parts
A. Özaslan, M. Yaşar İşcan, İ. Özaslan, H. Tuğcu and S. Koç (Turkey) 40–45
Catecholamine levels in rat adrenals increase post-mortem
H. Holgert (Sweden) 46–48
New forensic approach to age determination in children based on tooth eruption
B. Foti, L. Lalys, P. Adalian, J. Giustiniani, M. Maczel, M. Signoli, O. Dutour and G. Leonetti (France) . . . 49–56
Objective measurement of dental color for age estimation by spectroradiometry
S. Martin-de las Heras, A. Valenzuela, R. Bellini, C. Salas, M. Rubiño and J.A. Garcia (Spain) 57–62
ASTM standards for fire debris analysis: a review
É. Stauffer and J.J. Lentini (USA) 63–67
Somatic morbidity and criminality: the Northern Finland 1966 Birth Cohort Study
M. Timonen, T. Mäkikyrö, J. Miettunen, H. Hakko, P. Zitting, J. Kinnunen and P. Räsänen (Finland) 68–75
Use of PCR–RFLP for differentiation of calliphorid larvae (Diptera, Calliphoridae) on human corpses
H. Schroeder, H. Klotzbach, S. Elias, C. Augustin and K. Pueschel (Germany) 76–81

Announcements of population data

Population genetic data of eight tetrameric short tandem repeats (STRs) in Casablanca resident population to use in forensic casework
F. Chbel, S. Nadifi, C. Martinez-Bouzas, S. Louahlia, H. Azeddoug and M. Martinez De Pancorbo (Morocco, Spain) 82–83
Population data on the AmpFlSTR SGM plus PCR amplification kit in Germans and Austrians
B. Reichenpfader, U. Immel and M. Klintschar (Austria, Germany) 84–86

Diary of future events 87–90
Guide for Authors 91–92

Regular articles

A high-speed study of the dynamic bullet–body interactions produced by grazing gunshots with full metal jacketed and lead projectiles
M.J. Thali, B.P. Kneubuehl, U. Zollinger and R. Dirnhofer (Switzerland) 93–98
Distribution of GSR particles in the surroundings of shooting pistol
L. Fojtášek, J. Vacínová, P. Kolář and M. Kotrlý (Czech Republic) 99–105
The distribution of controlled drugs on banknotes via counting machines
J.F. Carter, R. Sleeman and J. Parry (UK) 106–112
Some samples of weapons and instruments used as weapon in criminal offenses in Turkey
H. Bülent Üner, M.R. Gökdoğan and H. Çakan (Turkey) 113–116
Spectral enhancement of leucocrystal violet treated footwear impression evidence in blood
L. Spence and G. Asmussen (Australia) 117–124
Computerized forensic assistance software (FAS 1.0) for training and standardized investigation in distributed and disconnected services
F. Crispino (France) 125–129

Analysis of patterned injuries and injury-causing instruments with forensic 3D/CAD supported photogrammetry (FPHG): an instruction manual for the documentation process
W. Brüschweiler, M. Braun, R. Dirnhofer and M.J. Thali (Switzerland) 130–138
A methodology for illicit heroin seizures comparison in a drug intelligence perspective using large databases
P. Esseiva, L. Dujourdy, F. Anglada, F. Taroni and P. Margot (Switzerland) 139–152
Validity of CO-oximetric determination of carboxyhaemoglobin in putrefying blood and body cavity fluid
C.-w. Lee, J.C.N. Tam, L.-K. Kung and L.-k. Yim (China) 153–156
The identification of a victim using the DGGE method for trace deposits collected on adhesive film
M. Mukaida, Y. Takada-Matuzaki, T. Masuda and H. Kimura (Japan) 157–160

Announcements of population data
Analysis of STR polymorphisms in the northeast Chinese population
X. Wang, T. Sawaguchi and A. Sawaguchi (Japan) 161–163
Allele frequencies for the 13 CODIS STR loci in Peru
L. Pérez, J. Hau, F. Izarra, O. Ochoa, U. Zubiate and O. García (Peru, Spain) 164–165
Japanese population database for nine STR loci of the AmpFlSTR Profiler kit
K. Yoshida, N. Mizuno, K. Fujii, H. Senju, K. Sekiguchi, K. Kasai and H. Sato (Japan) 166–167

Response to the Letter to the editor 168

Diary of future events 169–171

Regular articles
Yearly activity patterns in southern Victoria (Australia) of seasonally active carrion insects
M.S. Archer and M.A. Elgar (Australia) 173–176
'Morphological imprint': determination of the injury-causing weapon from the wound morphology using forensic 3D/CAD-supported photogrammetry
M.J. Thali, M. Braun, W. Brueschweiler and R. Dirnhofer (Switzerland) 177–181
Optimization of extraction parameters for the chemical profiling of 3,4-methylenedioxymethamphetamine (MDMA) tablets
P. Gimeno, F. Besacier and H. Chaudron-Thozet (France) 182–194
Methadone and its role in drug-related fatalities in Cologne 1989–2000
H. Graß, S. Behnsen, H.-G. Kimont, M. Staak and H. Käferstein (Germany) 195–200
Handwriting changes under the effect of alcohol
F. Aşıcıoğlu and N. Turan (Turkey) 201–210
Shot range estimation based on pellet distribution in shots with a pump-action shotgun
I. Çakir, G. Çetin, H.B. Uner and E. Albek (Turkey) 211–215

Announcements of population data
Genetic polymorphism revealed by 13 tetrameric and 2 pentameric STR loci in four Mongoloid tribal population
B. Maity, S.C. Nunga and V.K. Kashyap (India) 216–222
STR data for 09 autosomal STR markers from Rio Grande do Sul (southern Brazil)
F.P.N. Leite, F.J. Menegassi, S.P. Schwengber, P.E. Raimann and T.K. Albuquerque (Brazil) 223–224
STR data for the AmpF/STR SGM Plus loci from Shantou (south of China)
Y. Cai, D.-P. Xiang, X.-Y. Liang, Y.-L. Xu and Y.-L. Zhuang (PR China) 225–227
Y-chromosomal STR haplotypes in Inuit and Danish population samples
E. Bosch, Z.H. Rosser, S. Nørby, N. Lynnerup and M.A. Jobling (UK, Denmark) 228–232

Letter to the Editor 233–234

Diary of future events 235–237
Volume contents 239–241
Author index 243–244
Subject index 245–249

No. 133

Special Issue: TIAFT 2002
Edited by P. Marquet and P. Kintz

Preface vii

Regular articles
Impact factors of forensic science and toxicology journals: what do the numbers really mean?
A.W. Jones (Sweden) 1–8
Gamma hydroxybutyric acid (GHB) concentrations in humans and factors affecting endogenous production
S.P. Elliott (UK) 9–16
Forensic cases involving the use of GHB in The Netherlands
I.J. Bosman and K.J. Lusthof (The Netherlands) 17–21
High prevalence of 6-acetylmorphine in morphine-positive oral fluid specimens
L. Presley, M. Lehrer, W. Seiter, D. Hahn, B. Rowland, M. Smith, K.W. Kardos, D. Fritch, S. Salamone, R. Sam Niedbala and E.J. Cone (USA) 22–25
Urinary excretion profiles of 11-nor-9-carboxy-Δ^9-tetrahydrocannabinol: a Δ^9-THC-COOH to creatinine ratio study #2
A.D. Fraser and D. Worth (Canada) 26–31
Automated headspace solid-phase dynamic extraction for the determination of cannabinoids in hair samples
F. Musshoff, D.W. Lachenmeier, L. Kroener and B. Madea (Germany) 32–38
Determination of cathinone, cathine and norephedrine in hair of Yemenite khat chewers
F. Sporkert, F. Pragst, R. Bachus, F. Masuhr and L. Harms (Germany) 39–46
A study into the rate of incorporation of eight benzodiazepines into rat hair
K.S. Scott and Y. Nakahara (UK, Japan) 47–56
Hair analysis of opiates in mothers and newborns for evaluating opiate exposure during pregnancy
E. Vinner, J. Vignau, D. Thibault, X. Codaccioni, C. Brassart, L. Humbert and M. Lhermitte (France) 57–62
Comparison of daily urine, sweat, and skin swabs among cocaine users
D.A. Kidwell, J.D. Kidwell, F. Shinohara, C. Harper, K. Roarty, K. Bernadt, R.A. McCaulley and F.P. Smith (USA) 63–78
Comparison of the prevalence of alcohol, cannabis and other drugs between 900 injured drivers and 900 control subjects: results of a French collaborative study
P. Mura, P. Kintz, B. Ludes, J.M. Gaulier, P. Marquet, S. Martin-Dupont, F. Vincent, A. Kaddour, J.P. Goullé, J. Nouveau, M. Moulsma, S. Tilhet-Coartet and O. Pourrat (France) 79–85
Ethyl glucuronide concentrations in two successive urinary voids from drinking drivers: relationship to creatinine content and blood and urine ethanol concentrations
J. Bergström, A. Helander and A.W. Jones (Sweden) 86–94
A fatal forensic intoxication with fenarimol: analysis by HPLC/DAD/MSD
P. Proença, E. Pinho Marques, H. Teixeira, F. Castanheira, M. Barroso, S. Ávila and D.N. Vieira (Portugal) . 95–100
LC-MS/MS analysis of pholedrine in a fatal intoxication case
W. Römhild, D. Krause, H. Bartels, A. Ghanem, R. Schöning and H. Wittig (Germany) 101–106
An autopsy case of combined drug intoxication involving verapamil, metoprolol and digoxin
H. Kinoshita, T. Taniguchi, M. Nishiguchi, H. Ouchi, T. Minami, T. Utsumi, H. Motomura, T. Tsuda, T. Ohta, S. Aoki, M. Komeda, T. Kamamoto, A. Kubota, C. Fuke, T. Arao, T. Miyazaki and S. Hishida (Japan) 107–112
A multiple drug fatality involving MK-801 (dizocilpine), a mimic of phencyclidine
A. Mozayani, P. Schrode, J. Carter and T.J. Danielson (USA) 113–117
Methadone substitution: medicolegal problems in Germany
F. Musshoff, D.W. Lachenmeier and B. Madea (Germany) 118–124
Cases of fatal poisoning in post-mortem examinations at the Institute of Forensic Medicine in Greifswald—analysis of five decades of post-mortems
E. Below and E. Lignitz (Germany) 125–131
Identification and quantitation of xenobiotics by ^{1}H NMR spectroscopy in poisoning cases
M. Imbenotte, N. Azaroual, B. Cartigny, G. Vermeersch and M. Lhermitte (France) 132–135
Human serum paraoxonase (PON1) activity in acute organophosphorous insecticide poisoning
S.A. Akgür, P. Öztürk, I. Solak, A.R. Moral and B. Ege (Turkey) 136–140

Dermal absorption of kerosene components in rats and the influence of its amount and area of exposure
Y. Tsujino, Y. Hieda, K. Kimura and S. Dekio (Japan) 141–145
Hippuric acid and methyl hippuric acid in rat hair: possible monitoring of xylene and toluene exposure
T. Saito, T. Kusakabe and S. Takeichi (Japan) 146–151
Post-mortem analysis of formic acid disposition in acute methanol intoxication
L.A. Ferrari, M.G. Arado, C.A. Nardo and L. Giannuzzi (Argentina) 152–158
Anise oil as para-methoxyamphetamine (PMA) precursor
D. Waumans, N. Bruneel and J. Tytgat (Belgium) 159–170

Short reports
Detection of thiopental and pentobarbital in head and pubic hair in a case of drug-facilitated sexual assault
G. Frison, D. Favretto, L. Tedeschi and S.D. Ferrara (Italy) 171–174
Proficiency test for the analysis of hair for drugs of abuse, organized by the Society of Hair Testing
C. Jurado and H. Sachs (Spain, Germany) 175–178
Rapid determination of carboxyhemoglobin in blood by Oximeter
C. Brehmer and P.X. Iten (Switzerland) 179-181

Regular articles
Study of unusual phenomenon of contact firing on gelatine block using .38 Special revolver—forensic importance
S.K. Jain, C.N. Bhattacharayya, B. Badonia and R.P. Singh (India) 183–189
Organ weight effects of drowning and asphyxiation on the lungs, liver, brain, heart, kidneys, and spleen
J.A. Hadley and D.R. Fowler (USA) 190–196
The violent female perpetrator and her victim
G. Weizmann-Henelius, V. Viemerö and M. Eronen (Finland) 197–203
Area-specific increased density of μ-opioid receptor immunoreactive neurons in the cerebral cortex of drug-related fatalities
P. Schmidt, C. Schmolke, F. Musshoff, M. Menzen, C. Prohaska and B. Madea (Germany) 204–211
Radiographic evaluation of third molar development in Spanish children and young people
M.V. Bolaños, H. Moussa, M.C. Manrique and M.J. Bolaños (Spain) 212–219
Identification of a D8S1179 primer binding site mutation and the validation of a primer designed to recover null alleles
C. Leibelt, B. Budowle, P. Collins, Y. Daoudi, T. Moretti, G. Nunn, D. Reeder and R. Roby (USA) 220–227
Response of short tandem repeat systems to temperature and sizing methods
B. Hartzell, K. Graham and B. McCord (USA) 228–234
Mitochondrial profiling of dog hairs
J.H. Wetton, J.E. Higgs, A.C. Spriggs, C.A. Roney, C.S.F. Tsang and A.P. Foster (UK) 235–241
Single-strand conformation polymorphism of hyper-variable regions HV1 and HV2 of human mitochondrial DNA: detection by silver staining
J. de Souza Menezes, D. de Almeida Drummond Franklin, H. Seki and F.D. Rumjanek (Brazil) 242–245
Announcement of population data
Development of the X-linked tetrameric microsatellite markers HumDXS6803 and HumDXS9895 for forensic purpose
D. Huang, Q. Yang, C. Yu and R. Yang (PR China) 246–249
Polymorphism of 17 STRs by multiplex analysis in Japanese population
M. Hashiyada, Y. Itakura, T. Nagashima, M. Nata and M. Funayama (Japan) 250–253
Genetic data on 11 STRs (CSF1PO, TPOX, TH01, F13A01, FESFPS, vWA, D16S539, D7S820, D13S317, F13B, LPL) in an Argentine northeast population
G. Martínez, E. Vázquez, C. Schaller and N. Quevedo (Argentina) 254–255
Intoxication due to 1,4-butanediol
C. Lora-Tamayo, T. Tena, A. Rodríguez, J.R. Sancho and E. Molina (Spain) 256–259

Short communication
Inferring recent human phylogenies using forensic STR technology
D.J. Rowold and R.J. Herrera (USA) 260–265

Diary of future events 266–268

Volume contents 269–271
Author index. 272–273
Subject index 274–278

No. 134

Regular articles
Chemical fingerprinting of unevaporated automotive gasoline samples
P.M.L. Sandercock and E. Du Pasquier (Australia) 1–10
Estimation of postmortem interval using the protein marker cardiac Troponin I
A.J. Sabucedo and K.G. Furton (USA) 11–16
Optimization of a simple method for the chiral separation of methamphetamine and related compounds in clandestine tablets and urine samples by β-cyclodextrine modified capillary electrophoresis: a complementary method to GC–MS
A.-S. Liau, J.-T. Liu, L.-C. Lin, Y.-C. Chiu, Y.-R. Shu, C.-C. Tsai and C.-H. Lin (Taiwan) 17–24
A reported case involving impaired driving following self-administration of xylazine
M.E. Stillwell (USA). 25–28
Y-chromosome STR haplotypes in two population samples: Azores Islands and Central Portugal
M. Carvalho, M.-J. Anjos, L. Andrade, V. Lopes, M.V. Santos, J.-J. Gamero, F. Corte Real and M.-C. Vide (Portugal, Spain, Brazil). 29–35
Determination of heroin after embalmment
V. Alunni-Perret, P. Kintz, B. Ludes, P. Ohayon and G. Quatrehomme (France) 36–39
Simultaneous detection of some drugs of abuse in saliva samples by SPME technique
N. Fucci, N. De Giovanni and M. Chiarotti (Italy) 40–45
The 2000–2001 GEP–ISFG Collaborative Exercise on mtDNA: assessing the cause of unsuccessful mtDNA PCR amplification of hair shaft samples
L. Prieto, M. Montesino, A. Salas, A. Alonso, C. Albarrán, S. Álvarez, M. Crespillo, A.M[a] Di Lonardo, C. Doutremepuich, I. Fernández-Fernández, A.G. de la Vega, L. Gusmão, C.M. López, M. López-Soto, J.A. Lorente, M. Malaghini, C.A. Martínez, N.M. Modesti, A.M[a] Palacio, M. Paredes, S.D.J. Pena, A. Pérez-Lezaun, J.J. Pestano, J. Puente, A. Sala, M[a]. Vide, M.R. Whittle, J.J. Yunis and J. Gómez (Spain, Argentina, France, Portugal, Brazil, Colombia). 46–53
ELISA detection of clonazepam and 7-aminoclonazepam in whole blood and urine
A.A. Elian (USA) 54–56
Fatal overdoses of tramadol: is benzodiazepine a risk factor of lethality?
F. Clarot, J.P. Goullé, E. Vaz and B. Proust (France) 57–61
Microbial degradation of illicit drugs, their precursors, and manufacturing by-products: implications for clandestine drug laboratory investigation and environmental assessment
A. Janusz, K.P. Kirkbride, T.L. Scott, R. Naidu, M.V. Perkins and M. Megharaj (Australia). 62–71

Letter to the Editor 72–73

Diary of future events 74–79

Announcement 80

Regular articles
Guidelines for International Forensic Bio-archaeology Monitors of Mass Grave Exhumations
M. Skinner, D. Alempijevic and M. Djuric-Srejic (Canada, Yugoslavia). 81–92
Morphometric investigation of emphysema aquosum in the elderly
C. Kohlhase and H. Maxeiner (Germany). 93–98
A molecular genetic approach for forensic animal species identification
C. Bellis, K.J. Ashton, L. Freney, B. Blair and L.R. Griffiths (Australia) 99–108
Into the decomposed body—forensic digital autopsy using multislice-computed tomography
M.J. Thali, K. Yen, W. Schweitzer, P. Vock, C. Ozdoba and R. Dirnhofer (Switzerland) 109–114

Tissue distribution of trichloroethylene in a case of accidental acute intoxication by inhalation
V.A.E. Coopman, J.A.C.M. Cordonnier, E.A. De Letter and M.H.A. Piette (Belgium) 115–119
Mixed drug intoxication involving zaleplon ("Sonata®")
K.A. Moore, T.L. Zemrus, V. Ramcharitar, B. Levine and D.R. Fowler (USA) 120–122
Camera identity from minute film-edge mark characteristics
R. Kuppuswamy (Malaysia) 123–125
Evaluating the informative power of Y-STRs: a comparative study using European and new African haplotype data
C. Alves, L. Gusmão, J. Barbosa and A. Amorim (Portugal) 126–133
Skin changes following defibrillation. The effect of high voltage direct current
L. Danielsen, M. Gniadecka, H.K. Thomsen, F. Pedersen, S. Strange, K.G. Nielsen and H.D. Petersen (Denmark) 134–141
Criteria for homicide and suicide on victims of extended suicide due to sharp force injury
A. Dettling, L. Althaus and H.-Th. Haffner (Germany) 142–146
Right ventricular damage due to pulmonary embolism: examination of the number of infiltrating macrophages
K. Iwadate, M. Doi, K. Tanno, S. Katsumura, H. Ito, K. Sato, I. Yonemura and Y. Ito (Japan) 147–153
The incidence of drugs in drivers killed in Australian road traffic crashes
O.H. Drummer, J. Gerostamoulos, H. Batziris, M. Chu, J.R.M. Caplehorn, M.D. Robertson and P. Swann (Australia) 154–162
Smothering of children older than 1 year of age—diagnostic significance of morphological findings
S. Banaschak, P. Schmidt and B. Madea (Germany) 163–168
Fatal subarachnoid hemorrhage complicating actinomycotic meningitis
Y. Koda, Y. Seto, S. Takeichi and H. Kimura (Japan) 169–171
Grouping of Y-STR haplotypes discloses European geographic clines
L. Gusmão, P. Sánchez-Diz, C. Alves, S. Beleza, A. Lopes, A. Carracedo and A. Amorim (Portugal, Spain). 172–179
DNA mixtures in forensic casework: a 4-year retrospective study
Y. Torres, I. Flores, V. Prieto, M. López-Soto, M.J. Farfán, A. Carracedo and P. Sanz (Spain) 180–186
Analysis of ecstasy tablets: comparison of reflectance and transmittance near infrared spectroscopy
R.C. Schneider and K.-A. Kovar (Germany) 187-195
FINEX: a Probabilistic Expert System for forensic identification
R.G. Cowell (UK) 196–206
Synthesis of standards of the most important markers of Leuckart *p*-methoxymethamphetamine (PMMA). Examination of the influence of experimental conditions and a drug diluent on SPE/TLC profiling
J. Kochana, J. Wilamowski, A. Parczewski and M. Surma (Poland) 207–213
Profiling of impurities in *p*-methoxymethamphetamine (PMMA) by means of SPE/TLC method. Examination of the influence of experimental conditions according to 2^4 factorial
J. Kochana, J. Wilamowski and A. Parczewski (Poland) 214–218

Announcement of population data
STR data for PowerPlex® 16 System from Neuquen population, SW Argentina
U. Toscanini, G. Berardi and E. Raimondi (Argentina) 219–221
STR data for PowerPlex® 16 System from Buenos Aires population, Argentina
G. Berardi, U. Toscanini and E. Raimondi (Argentina) 222–224
Genetic diversity in four tribal groups of western India: a survey of polymorphism in 15 STR loci and their application in human identification
S. Gaikwad and V.K. Kashyap (India) 225–231

Case reports
Fatal hepatic failure following accidental tramadol overdose
M.B. Loughrey, C.M. Loughrey, S. Johnston and D. O'Rourke (UK) 232–233
Naphazoline intoxication in a child—a clinical and forensic toxicological case
F. Musshoff, A. Gerschlauer and B. Madea (Germany) 234–237

Diary of future events 238–243
Volume contents 244–246
Author index 247–248
Subject index 249–253

No. 135

Regular articles

What is the magnitude of the subpopulation effect?
J.M. Curran, J.S. Buckleton and C.M. Triggs (New Zealand) 1–8

Post-mortem SNP analysis of *CYP2D6* gene reveals correlation between genotype and opioid drug (tramadol) metabolite ratios in blood
A. Levo, A. Koski, I. Ojanperä, E. Vuori and A. Sajantila (Finland) 9–15

The use of cyclohexanone as a "derivatizing" reagent for the GC–MS detection of amphetamines and ephedrines in seizures and the urine
B.M. El-Haj, A.M. Al-Amri, M.H. Hassan, H.S. Ali and R.K. Bin Khadem (United Arab Emirates). 16–26

Flies eggs: a new method for the estimation of short-term post-mortem interval?
B. Bourel, B. Callet, V. Hédouin and D. Gosset (France). 27–34

Characterisation of variant alleles at the HumD21S11 locus implies unique Australasian genotypes and re-classification of nomenclature guidelines
S.J. Walsh, S.L. Robinson, G.R. Turbett, N.P. Davies and A.N. Wilton (Australia) 35–41

Methamphetamine impurity profiling using a 0.32 mm i.d. nonpolar capillary column
H. Inoue, T. Kanamori, Y.T. Iwata, Y. Ohmae, K. Tsujikawa, S. Saitoh and T. Kishi (Japan) 42–47

Different informativeness of the three hypervariable mitochondrial DNA regions in the population of Bologna (Italy)
C. Bini, S. Ceccardi, D. Luiselli, G. Ferri, S. Pelotti, C. Colalongo, M. Falconi and G. Pappalardo (Italy). . . 48–52

Characterization of the explosive triacetone triperoxide and detection by ion mobility spectrometry
G.A. Buttigieg, A.K. Knight, S. Denson, C. Pommier and M. Bonner Denton (USA) 53–59

Announcements of population data

Allele frequencies for 15 STR loci in Van–Ağrı districts of the Eastern Anatolia region of Turkey
A. Hadi Çakır, A. Çelebioğlu, S. Altunbaş and E. Yardımcı (Turkey) 60–63

Genetic profile of the Ecuadorian Mestizo population (Ecuador—South America) by using the Power Plex® 16 System Kit
F. González-Andrade, D. Sánchez-Q and B. Martínez-Jarreta (Ecuador, Spain). 64–66

Genetic data on 12 STRs (F13A01, F13B, FESFPS, LPL, CSF1PO, TPOX, TH01, vWA, D16S539, D7S820, D13S317, D5S818) from four ethnic groups of São Paulo, Brazil
S.P. Bydlowski, R.S. de Moura-Neto, R.P.S. Soares, R. Silva, A.A. Debes-Bravo and L. Morganti (Brazil) . . 67–71

Population data of nine STR loci, D3S1358, vWA, FGA, TH01, TPOX, CSF1PO, D5S818, D13S317 and D7S820, in Bangladeshis and Indonesians
Y. Dobashi, A. Kido, N. Fujitani, R. Susukida and M. Oya (Japan). 72–74

STR frequencies for the PowerPlex® 16 System Kit in a population from Northeast Spain
M. Paredes, M. Crespillo, J.A. Luque and J.L. Valverde (Spain) 75–78

Diary of future events 79–84

Regular articles

Messenger RNA profiling: a prototype method to supplant conventional methods for body fluid identification
J. Juusola and J. Ballantyne (USA) 85–96

Grouping of ammunition types by means of frequencies of occurrence of GSR
Z. Brożek-Mucha and G. Zadora (Poland) 97–104

Testing for kinship in a subdivided population
W.K. Fung, A. Carracedo and Y.-Q. Hu (China, Spain) 105–109

Tissue concentrations of MDMA and its metabolite MDA in three fatal cases of overdose
R. García-Repetto, E. Moreno, T. Soriano, C. Jurado, M.P. Giménez and M. Menéndez (Spain). 110–114

Bite mark documentation and analysis: the forensic 3D/CAD supported photogrammetry approach
M.J. Thali, M. Braun, Th.H. Markwalder, W. Brueschweiler, U. Zollinger, N.J. Malik, K. Yen and R. Dirnhofer (Switzerland) 115–121

A Japanese computer-assisted facial identification system successfully identifies non-Japanese faces
N.L. Fraser, M. Yoshino, K. Imaizumi, S.A. Blackwell, C.D.L. Thomas and J.G. Clement (Australia, Japan). 122–128

Determination of tramadol in hair using solid phase extraction and GC–MS
K.A. Hadidi, J.K. Almasad, T. Al-Nsour and S. Abu-Ragheib (Jordan) 129–136
An evaluation of the Maxcan fibre finder version 3.3 on cotton fibres
S. Langdon, P. Maynard, J. Robertson and C. Roux (Australia) 137–145
Inter-comparison of unrelated fiber evidence
M.M. Houck (USA) 146–149
Results of the GEP-ISFG collaborative study on the Y chromosome STRs GATA A10, GATA C4, GATA H4, DYS437, DYS438, DYS439, DYS460 and DYS461: population data
L. Gusmão, P. Sánchez-Diz, C. Alves, B. Quintáns, E. García-Poveda, H. Geada, E. Raimondi, S. María Silva de la Fuente, M.C. Vide, M.R. Whittle, M.T. Zarrabeitia, M. Carvalho, V. Negreiros, L. Prieto Solla, J.A. Riancho, R. Campos-Sánchez, C. Vieira-Silva, U. Toscanini, A. Amorim, A. Carracedo and GEP-ISFG (The Spanish and Portuguese Working Group of the International Society for Forensic Genetics) (Portugal, Spain, Argentina, Costa Rica, Brazil) 150–157
Results of the GEP-ISFG collaborative study on two Y-STRs tetraplexes: GEPY I (DYS461, GATA C4, DYS437 and DYS438) and GEPY II (DYS460, GATA A10, GATA H4 and DYS439)
P. Sánchez-Diz, L. Gusmão, S. Beleza, A. Benítez-Páez, A. Castro, O. García, L.P. Solla, H. Geada, P. Martín, B. Martínez-Jarreta, M. de Fátima Pinheiro, E. Raimondi, S. María Silva de la Fuente, M.C. Vide, M.R. Whittle, M.T. Zarrabeitia, A. Carracedo, A. Amorim and GEP-ISFG (The Spanish and Portuguese Working Group of the International Society for Forensic Genetics) (Spain, Portugal, Colombia, Argentina, Costa Rica, Brazil) 158–162
Polymerase slippage in relation to the uniformity of tetrameric repeat stretches
M. Klintschar and P. Wiegand (Germany) 163–166
Hair combing to collect organic gunshot residues (OGSR)
W.A. MacCrehan, M.J. Layman and J.D. Secl (USA) 167–173

Diary of future events 174–179

Regular articles
Statistical analysis of impact parameters of soft nose bullet fired on windowpane
N.P. Waghmare, A. Manna, M.S. Rao and P.K. Sen (India) 181–187
Sex and age diagnosis by ischium morphometric analysis
C. Rissech, M. García and A. Malgosa (Spain) 188–196
Problems associated with the diagnosis of vitality in burned bodies
M. Bohnert, C.R. Werner and S. Pollak (Germany) 197–205
Urine/blood ratios of ethanol in deaths attributed to acute alcohol poisoning and chronic alcoholism
A.W. Jones and P. Holmgren (Sweden) 206–212
Sudden unexplained death among persons 1–35 years old
B. Morentin, M.P. Suárez-Mier and B. Aguilera (Spain) 213–217
Fatal trauma to the neck: immunohistochemical study of local injuries
A. Fieguth, D. Franz, R. Lessig and W.J. Kleemann (Germany) 218–225
Investigating demodex in forensic autopsy cases
M. Hakan Özdemir, U. Aksoy, Ç. Akisu, E. Sönmez and M. Ali Çakmak (Turkey) 226–231
A Windows-based software for common paternity and sibling analyses
J.A. Riancho and M.T. Zarrabeitia (Spain) 232–234

Case reports
Fatal overdose of the herbicide bentazone
I.B. Müller, H. Willads Petersen, S.S. Johansen and P. Theilade (Denmark) 235–236
Decapitation in road traffic accident
R. Rautji, A. Rudra, V. Dixit, D.N. Bhardwaj and T.D. Dogra (India) 237–238

Announcements of population data
Y-chromosome STR haplotypes in the Açores Archipelago (Portugal)
A. Fernandes and A. Brehm (Portugal) 239–242
Population data of new Y-chromosome STRs GATA C4, DYS438, DYS437, GATA A7.2, GATA H4, DYS439 and GATA A10 in males from Colombia
J. Vidal-Martinez, A. Benítez-Páez and H. Ossa Reyes (Colombia) 243–246

Tunisian population data on 10 Y-chromosomal loci
C. Brandt-Casadevall, M. Ben Dhiab, F. Taroni, V. Castella, N. Dimo-Simonin, M. Zemni and P. Mangin (Switzerland, Tunisia) 247–250

Diary of future events 251–256

No. 136

Regular articles
Species identification of rhinoceros horns using the cytochrome b gene
H.-M. Hsieh, L.-H. Huang, L.-C. Tsai, Y.-C. Kuo, H.-H. Meng, A. Linacre and J.C.-I. Lee (Taiwan, UK). . . 1–11
Congenital atrioventricular block: histological aspects
M.D. Piercecchi-Marti, H. Mohamed, C. Chau, A. Liprandi and C. Fredouille (France). 12–15
Pleural effusion in bodies recovered from water
C. Yorulmaz, N. Arican, I. Afacan, H. Dokgoz and M. Asirdizer (Turkey). 16–21
User-friendly programs for easy calculations in paternity testing and kinship determinations
W.K. Fung (China) 22–34
Fatal drug poisonings: medico-legal reports and mortality statistics
R.A. Lahti and E. Vuori (Finland). 35–46
Profiles of urine samples from participants at rave party in Taiwan: prevalence of ketamine and MDMA abuse
A.C. Lua, H.R. Lin, Y.T. Tseng, A.R. Hu and P.C. Yeh (Taiwan) 47–51
Third molar root development in relation to chronological age: a large sample sized retrospective study
K. Gunst, K. Mesotten, A. Carbonez and G. Willems (Belgium). 52–57
Novel Y-STR typing strategies reveal the genetic profile of the semen donor in extended interval post-coital cervicovaginal samples
A. Hall and J. Ballantyne (USA). 58–72

Short communications
The X-linked STRs DXS7130 and DXS6803
J. Edelmann and R. Szibor (Germany). 73–75
A method for simultaneous RNA and DNA isolation from dried blood and semen stains
M. Bauer and D. Patzelt (Germany) 76–78

Announcements of population data
Haplotype diversity in mitochondrial DNA hypervariable regions I and II in three communities of Southern India
R. Rajkumar and V.K. Kashyap (India) 79–82
Allele frequencies for 13 STR's from two Colombian populations: Bogotá and Boyacá
M. Rey, A. Gutiérrez, B. Schroeder, W. Usaquén, A. Carracedo, I. Bustos and A. Giraldo (Colombia, Spain) 83–85
Allelic frequencies at 12 STR loci in Colombian population
A. Benítez-Páez and H.O. Reyes (Colombia) 86–88
Allele frequencies and haplotypes of six new Y-specific STR loci in Koreans
H.Y. Lee, J.-E. Oh, G.-R. Han and K.-J. Shin (South Korea) 89–91
Allele frequencies of 15 STR loci using AmpF/STR Identifiler kit in a Korean population
Y.-L. Kim, J.-Y. Hwang, Y.-J. Kim, S. Lee, N.-G. Chung, H.-G. Goh, C.-C. Kim and D.-W. Kim (South Korea) 92–95
Population data of nine STRs of Mexican-Mestizos from Mexico City
A. Luna-Vazquez, G. Vilchis-Dorantes, L.A. Paez-Riberos, F. Muñoz-Valle, A. González-Martin and H. Rangel-Villalobos (Mexico). 96–98
Genetic profiling of a central Venezuelan population using 15 STR markers that may be of forensic importance
M.A. Chiurillo, A. Morales, A.M. Mendes, N. Lander, F. Tovar, A. Fuentes and J.L. Ramírez (Venezuela) . . 99–101

Diary of future events . . . . . I–VIII

No. 137

Regular articles

A case of sudden death from primary intracranial germinoma complicated by microvascular disease of the heart
G. Lau and I. Sng (Singapore) 1–5

Solid phase micro extraction coupled with on-column GC/ECD for the post-blast analysis of organic explosives
S. Calderara, D. Gardebas and F. Martinez (France) 6–12

Acute fatal poisoning with cyamemazine
V. Alunni-Perret, P. Ohayon, H.P. Duval and G. Quatrehomme (France) 13–15

Was elusive carnivore a panther? DNA typing of faeces reveals the mystery
S.K. Verma, K. Prasad, N. Nagesh, M. Sultana and L. Singh (India) 16–20

The importance of a urine sample in persons intoxicated with flunitrazepam-legal issues in a forensic psychiatric case study of a serial murderer
A.M. Dåderman, H. Strindlund, N. Wiklund, S.-O. Fredriksen and L. Lidberg (Sweden) 21–27

Use of laser microdissection greatly improves the recovery of DNA from sperm on microscope slides
K. Elliott, D.S. Hill, C. Lambert, T.R. Burroughes and P. Gill (UK) 28–36

Fatal falls from heights in and around Diyarbakir, Turkey
S. Goren, M. Subasi, Y. Týrasci and F. Gurkan (Turkey) 37–40

Accidental autoerotic deaths between 1978 and 1997. Institute of Legal Medicine, Medical School Hannover
D. Breitmeier, F. Mansouri, K. Albrecht, U. Böhm, H.D. Tröger and W.J. Kleemann (Germany) 41–44

Lethal head injury due to tear-gas cartridge gunshots
F. Clarot, E. Vaz, F. Papin, B. Clin, C. Vicomte and B. Proust (France) 45–51

Human pentastomiasis discovered postmortem
H. Yapo Ette, L. Fanton, K.D. Adou Bryn, K. Botti, K. Koffi and D. Malicier (Ivory Coast, France) 52–54

Diagnosing death by drowning in fresh water using blood strontium as an indicator
J.E. Azparren, A. Fernandez-Rodriguez and G. Vallejo (Spain) 55–59

Homicidal and suicidal ligature strangulation—a comparison of the post-mortem findings
H. Maxeiner and B. Bockholdt (Germany) 60–66

Analysis of the CODIS autosomal STR loci in four main Colombian regions
M. Paredes, A. Galindo, M. Bernal, S. Avila, D. Andrade, C. Vergara, M. Rincón, R.E. Romero, M. Navarrete, M. Cárdenas, J. Ortega, D. Suarez, A. Cifuentes, A. Salas and A. Carracedo (Colombia, Spain) 67–73

Multiplex PCR and minisequencing of SNPs—a model with 35 Y chromosome SNPs
J.J. Sanchez, C. Børsting, C. Hallenberg, A. Buchard, A. Hernandez and N. Morling (Denmark, Spain) 74–84

Announcements of population data

Haplotypes from the Caucasus, Turkey and Iran for nine Y-STR loci
I. Nasidze, H. Schädlich and M. Stoneking (Germany) 85–93

Genetic diversity and forensic evaluation of 10 STR loci in Lodz region of Poland
R. Jacewicz, J. Berent, A. Prośniak, M. Kadubek and S. Szram (Poland) 94–96

Population genetics of nine STR loci: TH01, TPOX, CSF1PO, vWA, FESFPS, F13A01, D13S317, D7S820 and D16S539 in a Korean population
N.S. Cho, J.H. Hwang, Y.A. Lee and I.H. Park (South Korea) 97–99

Polymorphism of LDLR, GYPA, HBGG, D7S8, GC, HLA-DQA1, Ig-J_H, D17S30, ApoB and D1S80 loci in northwestern Russians
A.G. Smolyanitsky, A.I. Smolyanitskaya, V.L. Popov, G.I. Zaslavsky and N.N. Khromov-Borisov (Russia) . . 100–103

STR-CODIS typing in Greece
I. Skitsa, A. Salas, M. Lareu and Á. Carracedo (Spain) 104–106

Diary of future events . . . . . I–VI

Regular articles

The classification and discrimination of glass fragments using non destructive energy dispersive X-ray μfluorescence
T. Hicks, F. Monard Sermier, T. Goldmann, A. Brunelle, C. Champod and P. Margot (Switzerland, UK) 107–118

Analysis of carbohydrate-deficient transferrin (CDT) in vitreous humour as a forensic tool for detection of alcohol misuse
A. Berkowicz, S. Wallerstedt, K. Wall and H. Denison (Sweden) 119–124
Mitochondrial diversity of a northeast German population sample
M. Poetsch, H. Wittig, D. Krause and E. Lignitz (Germany) 125–132
Torture and its sequel—a comparison between victims from six countries
P.A. Moisander and E. Edston (Sweden) 133–140
The identification of a dismembered human body: a multidisciplinary approach
Y. Bilge, P. Sema Kedici, Y.D. Alakoç, K. Üner Ülküer and Y.Y. İlkyaz (Turkey). 141–146
Munchausen syndrome by proxy (MSBP): an extreme form of child abuse with a special forensic challenge
C. Bartsch, M. Riße, H. Schütz, N. Weigand and G. Weiler (Germany). 147–151
Distinction of bloodstain patterns from fly artifacts
M. Benecke and L. Barksdale (Germany, USA) 152–159
Sexual variation in bucco-lingual dimensions in Turkish dentition
M.Y. İşcan and P. Sema Kedici (Turkey) 160–164
Homicide–suicide in Hong Kong, 1989–1998
C.Y. Chan, S.L. Beh and R.G. Broadhurst (PR China). 165–171
Histological analysis on the medieval mummy in Korea
D.H. Shin, M. Youn and B.S. Chang (South Korea) 172–182
Tissue distribution of lidocaine in critical care patients after intubation
F. Moriya and Y. Hashimoto (Japan) 183–187
STR genotyping and mtDNA sequencing of latent fingerprint on paper
M. Kinga Balogh, J. Burger, K. Bender, P.M. Schneider and K.W. Alt (Germany) 188–195
Urinary excretion profiles of 11-nor-9-carboxy-Δ^9-tetrahydrocannabinol. Study III. A Δ^9-THC-COOH to creatinine ratio study
A.D. Fraser and D. Worth (Canada) 196–202
Optical 3D surface digitizing in forensic medicine: 3D documentation of skin and bone injuries
M.J. Thali, M. Braun and R. Dirnhofer (Switzerland) 203–208
Bone as a biomarker of acute fluoride toxicity
L.M. Bezerra de Menezes, M.C. Volpato, P.L. Rosalen and J.A. Cury (Brazil) 209–214

Announcements of population data
Population data of four X-chromosome markers in Tuscany, and their use in a deficiency paternity case
C. Toni, S. Presciuttini, I. Spinetti and R. Domenici (Italy) 215–216
Y-chromosome STR haplotypes in Córdoba (Argentina)
M. Fondevila, J.C. Jaime, A. Salas, M.V. Lareu and Á. Carracedo (Spain). 217–220
Molecular characterization and Austrian Caucasian population data of the multi-copy Y-chromosomal STR DYS464
B. Berger, H. Niederstätter, A. Brandstätter and W. Parson (Austria). 221–230
Amniotic fluid embolism as cause of death in a car accident—a case report
J. Rainio and A. Penttilä (Finland) 231–234
Genetic variation for 12 STRs loci in a Colombian population (Department of Valle del Cauca)
M.V. Gómez, M.E. Reyes, H. Cárdenas and O. García (Colombia, Spain) 235–237

Erratum
Erratum to "Organ weight effects of drowning and asphyxiation on the lungs, liver, brain, heart, kidneys, and spleen". [Forensic Sci. Int. 133 (2003) 190–196]
J.A. Hadley and D.R. Fowler (USA) 239–246
Erratum to "Allele frequencies for nine PCR-typed STR loci in a population from middle China". [Forensic Sci. Int. 127 (2002) 145–146]
Y. Si, J. Wang, C. Zhao, B. Hao, Y. Li, W. Zhu, Y. Wang and L. Yu (PR China) 247–248

Diary of future events . . . . . I–V

No. 138

Regular articles

The Kaprun cable car fire disaster—aspects of forensic organisation following a mass fatality with 155 victims
H.J. Meyer (Austria) 1–7

Image-guided virtual autopsy findings of gunshot victims performed with multi-slice computed tomography (MSCT) and magnetic resonance imaging (MRI) and subsequent correlation between radiology and autopsy findings
M.J. Thali, K. Yen, P. Vock, C. Ozdoba, B.P. Kneubuehl, M. Sonnenschein and R. Dirnhofer (Switzerland) . 8–16

Optimized conditions for simultaneous determination of opiates, cocaine and benzoylecgonine in hair samples by GC–MS
F.S. Romolo, M.C. Rotolo, I. Palmi, R. Pacifici and A. Lopez (Italy) 17–26

The persistence of human scalp hair on clothing fabrics
J. Dachs, I.J. McNaught and J. Robertson (Australia) 27–36

Cell line DNA typing in forensic genetics—the necessity of reliable standards
R. Szibor, J. Edelmann, S. Hering, I. Plate, H. Wittig, L. Roewer, P. Wiegand, F. Calì, V. Romano and M. Michael (Germany, Italy) 37–43

The evaluation of a synthetic long bone structure as a substitute for human tissue in gunshot experiments
B.P. Kneubuehl and M.J. Thali (Switzerland) 44–49

Methods used for the killing and preservation of blowfly larvae, and their effect on post-mortem larval length
Z.J.O. Adams and M.J.R. Hall (UK) 50–61

Subendocardial small infarct in the superior ventricular septum as a cause of sudden death
N. Nishida, N. Ikeda, Y. Katayama, K. Kudo and T. Takasaki (Japan) 62–67

Gunshot residue patterns on skin in angled contact and near contact gunshot wounds
T. Plattner, B. Kneubuehl, M. Thali and U. Zollinger (Switzerland) 68–74

Multivariate chemometrics for the forensic discrimination of blue ball-point pen inks based on their Vis spectra
N.C. Thanasoulias, N.A. Parisis and N.P. Evmiridis (Greece) 75–84

Morphological and chemical analysis of magic mushrooms in Japan
K. Tsujikawa, T. Kanamori, Y. Iwata, Y. Ohmae, R. Sugita, H. Inoue and T. Kishi (Japan) 85–90

Growing cannabis with naphthalene in Rome
N. Fucci (Italy) 91–93

Quantification of RNA degradation by semi-quantitative duplex and competitive RT-PCR: a possible indicator of the age of bloodstains?
M. Bauer, S. Polzin and D. Patzelt (Germany) 94–103

Co-amplification of ENFSI-loci D3S1358, D8S1179 and D18S51: validation of new primer sequences and allelic distribution among 2874 individuals
T. Pötter (Germany) 104–110

Short communications

An unusual fatal injury due to tyre burst: a case report
R. Rautji, A. Rudra and T.D. Dogra (India) 111–113

Meckel's diverticulum and intestinal obstruction—report of a fatal case
J.C. Vork and I.B. Kristensen (Denmark) 114–115

Announcement of Pupulation Data

Population data for 11 STR loci in northeast China Han
Y.J. Zhang, Q.S. Xu and J.B. Lee (South Korea, China) 116–118

STR data for the AmpFlSTR SGM Plus and Profiler loci from Taiwan
C.-W. Wang, D.-P. Chen, C.-Y. Chen, S.-C. Lu and C.-F. Sun (Taiwan) 119–122

Y-chromosome STR haplotypes of Han ethnic group in Xi'an (NW China)
J. Ma, S. Wang, J. Yu and S. Li (China) 123–126

Y chromosome STRs in Croatians
L. Barać, M. Peričić, I. Martinović Klarić, B. Janićijević, J. Parik, S. Rootsi and P. Rudan (Croatia, Estonia) 127–133

STR Data for the AmpF/STR Identifiler loci in three ethnic groups (Malay, Chinese, Indian) of the Malaysian population
L.H. Seah, N. Hithaya Jeevan, M.I. Othman, P. Jaya, Y.S. Ooi, P.C. Wong and S.S. Kee (Malaysia) 134–137

Diary of future events . . . . . I–V
Volume contents . . . . . VI–XX
Author index . . . . . XXI–XXVI
Subject index . . . . . XXVII–LVII